

[Lifetime of the \$^2F_{7/2}\$ Level in \$Yb^+\$ for spontaneous emission of electric octupole radiation](#)

R. Lange, A. Peshkov, N. Huntemann, Chr. Tamm, A. Surzhykov, E. Peik
Phys. Rev. Lett. 127, 213001 (2021).

[Improved limits for violations of local position invariance from atomic clock comparisons](#)

R. Lange, N. Huntemann, J. M. Rahm, C. Sanner, H. Shao, B. Lipphardt, Chr. Tamm, S. Weyers, E. Peik
Phys. Rev. Lett. 126, 011102 (2021).

[Opticlock: transportable and easy-to-operate optical single-ion clock](#)

S. Ritter, M. Abdel-Hafiz, B. Arar, A. Bawamia, K. Bergner, M. Biethahn, S. Brakhane, A. Didier, J. Fortágh, M. Halder, R. Holzwarth, N. Huntemann, M. Johanning, R. Jördens, W. Kaenders, F. Karlewski, F. Kienle, M. Krutzik, M. Lessing, T.E. Mehlstäubler, D. Meschede, E. Peik, A. Peters, P.O. Schmidt, H. Siebeneich, J. Stuhler, Chr. Tamm, E. Vogt, A. Wicht, C. Wunderlich
OSA Technical Digest, OSA Quantum 2.0 Conference, Washington DC, September 2020.

[Coherent suppression of tensor frequency shifts through magnetic field rotation](#)

R. Lange, N. Huntemann, C. Sanner, H. Shao, B. Lipphardt, Chr. Tamm, E. Peik
Phys. Rev. Lett. 125, 163001 (2020).

[Generalized excitation of atomic multipole transitions by twisted light modes](#)

S. A.-L. Schulz, A. A. Peshkov, R. Müller, R. Lange, N. Huntemann, Chr. Tamm, E. Peik, A. Surzhykov
Phys. Rev. A 102, 012812 (2020).

[Effect of trapped-ion heating on generalised Ramsey methods for suppressing frequency shifts caused by a probe field in atomic clocks](#)

S. N. Kuznetsov, A.V. Taichenachev, V.I. Yudin, N. Huntemann, C. Sanner, Chr. Tamm, E. Peik
Quantum Electronics 49 (2019).

[Guidelines for developing optical clocks with \$10^{-18}\$ fractional frequency uncertainty](#)

M. Abdel-Hafiz, P. Ablewski, A. Al-Masoudi, H. Alvarez Martinez, P. Balling, G. Barwood, E. Benkler, M. Bober, M. Borkowski, W. Bowden, R. Ciurylo, H. Cybulski, A. Didier, M. Dolezal, S. Dörscher, S. Falke, R.M. Godun, R. Hamid, I.R. Hill, R. Hobson, N. Huntemann, Y. Le Coq, R. Le Targat, T. Legero, T. Lindvall, Ch. Lisdat, J. Lodewyck, H.S. Margolis, T.E. Mehlstäubler, E. Peik, L. Pelzer, M. Pizzocaro, B. Rauf, A. Rolland, N. Scharnhorst, M. Schioppo, P.O. Schmidt, R. Schwarz, C. Senel, N. Spethmann, U. Sterr, Chr. Tamm, J. W. Thomsen, A. Vianello, M. Zawada
arXiv:1906.11495 (2019).

[Optical clock comparison for Lorentz symmetry testing](#)

C. Sanner, N. Huntemann, R. Lange, Chr. Tamm, E. Peik, M.S.Safronova, S.G. Porsev
Nature 567, 204 (2019).

[Autobalanced Ramsey spectroscopy](#)

C. Sanner, N. Huntemann, R. Lange, Chr. Tamm, E. Peik
Phys. Rev. Lett. 120, 053602 (2018).

[Tausendmal genauer](#)

Christian Tamm, Ekkehard Peik
Physik in unserer Zeit 48, 178 (2017).

[Single-ion atomic clock with \$3 \times 10^{-18}\$ systematic uncertainty](#)

N. Huntemann, C. Sanner, B. Lipphardt, Chr. Tamm, E. Peik
Phys. Rev. Lett. 116, 063001 (2016).

[Analysis of thermal radiation in ion traps for optical frequency standard](#)

M. Doležal, P. Balling, P.B.R. Nisbet-Jones, S.A. King, J.M. Jones, H.A. Klein, P. Gill, T. Lindvall, A.E. Wallin, M. Merimaa, Chr. Tamm, C. Sanner, N. Huntemann, N. Scharnhorst, I.D. Leroux, P.O. Schmidt, T. Burgermeister, T.E. Mehlstäubler, E. Peik
Metrologia 52, 842 (2015).

[Improved limit on a temporal variation of \$m_p/m_e\$ from comparisons of \$\text{Yb}^+\$ and Cs atomic clocks](#)

N. Huntemann, B. Lipphardt, Chr. Tamm, V. Gerginov, S. Weyers, E. Peik
Phys. Rev. Lett. 113, 210802 (2014).

[Cs-based optical frequency measurement using cross-linked optical and microwave oscillators](#)

Chr. Tamm, N. Huntemann, B. Lipphardt, V. Gerginov, N. Nemitz, M. Kazda, S. Weyers, E. Peik
Phys. Rev. A 89, 023820 (2014).

[Generalized Ramsey excitation scheme with suppressed light shift](#)

N. Huntemann, B. Lipphardt, M. Okhapkin, Chr. Tamm, E. Peik, A.V. Taichenachev, V.I. Yudin
Phys. Rev. Lett. 109, 213002 (2012).

[Two-photon laser excitation of trapped \$^{232}\text{Th}^+\$ ions via the 402-nm resonance line](#)

O.A. Herrera-Sancho, M. Okhapkin, K. Zimmermann, Chr. Tamm, E. Peik, A.V. Taichenachev, V.I. Yudin, P. Glowacki
Phys. Rev. A 85, 033402 (2012).

[High-accuracy optical clock based on the octupole transition in \$^{171}\text{Yb}^+\$](#)

N. Huntemann, M. Okhapkin, B. Lipphardt, S. Weyers, Chr. Tamm, E. Peik
Phys. Rev. Lett. 108, 090801 (2012).

[Atomic clocks with suppressed blackbody radiation shift](#)

V.I. Yudin, A.V. Taichenachev, M. Okhapkin, S.N. Bagayev, Chr. Tamm, E. Peik, N. Huntemann, T.E. Mehlstäubler, F. Riehle
Phys. Rev. Lett. 107, 030801 (2011).

[Excitation of the isomeric \$^{229\text{m}}\text{Th}\$ nuclear state via an electronic bridge process in \$^{229}\text{Th}^+\$](#)

S.G. Porsev, V.V. Flambaum, E. Peik, Chr. Tamm
Phys. Rev. Lett. 105, 182501 (2010).

[Diode-laser system for high-resolution spectroscopy of the \$^2\text{S}_{1/2} - ^2\text{F}_{7/2}\$ octupole transition in \$^{171}\text{Yb}\$](#)

I. Sherstov, M. Okhapkin, B. Lipphardt, Chr. Tamm, E. Peik
Phys. Rev. A 81, 021805(R) (2010).

[Stray-field-induced quadrupole shift and absolute frequency of the 688-THz \$^{171}\text{Yb}^+\$ single-ion optical frequency standard](#)

Chr. Tamm, S. Weyers, B. Lipphardt, E. Peik
Phys. Rev. A 80, 043403 (2009).

[Prospects for a nuclear optical frequency standard based on Thorium-229](#)

E. Peik, K. Zimmermann, M. Okhapkin, Chr. Tamm
Proceedings of the 7th Symposium on Frequency Standards and Metrology, Asilomar Conference Grounds, CA, October 2008.

[\$^{171}\text{Yb}^+\$ single-ion optical frequency standards](#)

Chr. Tamm, B. Lipphardt, T.E. Mehlstäubler, M. Okhapkin, I. Sherstov, B. Stein, E. Peik
Proceedings of the 7th Symposium on Frequency Standards and Metrology, Asilomar Conference Grounds, CA, October 2008.

[Laser frequency stabilization to a single ion](#)

E. Peik, T. Schneider, Chr. Tamm

J. Phys. B: At. Mol. Opt. Phys. 39, 145 (2006).

[Messung optischer Frequenzen mit Femtosekunden-Pulslasern: die Verwendung von Lichtpulsen hat viele Vorteile](#)

C.O. Weiss, H. Schnatz, G. Grosche, B. Lipphardt, Chr. Tamm

Laser-Technik-Journal 4 / 2005.

[Frequency comparisons and absolute frequency measurements of \$^{171}\text{Yb}^+\$ single-ion optical frequency standards](#)

E. Peik, B. Lipphardt, H. Schnatz, T. Schneider, Chr. Tamm, S.G. Karshenboim

Laser Physics 15, 1028 (2005).

[Sub-Hertz optical frequency comparisons between two trapped \$^{171}\text{Yb}^+\$ ions](#)

T. Schneider, E. Peik, Chr. Tamm

Phys. Rev. Lett. 94, 230801 (2005).

[New limit on the present temporal variation of the fine structure constant](#)

E. Peik, B. Lipphardt, H. Schnatz, T. Schneider, Chr. Tamm, S.G. Karshenboim

Phys. Rev. Lett. 93, 170801 (2004).

[Trapped ion optical frequency standards for laboratory tests of Alpha-variability](#)

Chr. Tamm, T. Schneider, E. Peik, in:

Astrophysics, Clocks, and Fundamental Constants, ed. S.G. Karshenboim und E. Peik,

Lect. Notes Phys. 648 (Springer, Berlin 2004), p. 247.

[Comparison of two single-ion optical frequency standards at the sub-hertz level](#)

Chr. Tamm, T. Schneider, E. Peik, in:

Laser Spectroscopy XVI, ed. P. Hannaford, A. Sidorov, H. Bachor, K. Baldwin,

World Scientific (2004), p. 40.

[Comparison of two single-ion optical frequency standards](#)

T. Schneider, Chr. Tamm, E. Peik, in:

Proceedings of the IEEE Frequency Control Symposium, ed. J.R. Vig (2003), p.72

[Nuclear laser spectroscopy of the 3.5 eV transition in Th-229](#)

E. Peik, Chr. Tamm

Europhys. Lett. 61, 181 (2003).

[Optische Frequenznormale mit gespeicherten Ionen](#)

Th. Becker, J. v. Zanthier, E. Peik, Chr. Tamm

Physik Journal 1/März, 47 (2002).

[Spectroscopy and precision frequency measurement of the 435.5 nm clock transition of \$^{171}\text{Yb}^+\$](#)

Chr. Tamm, T. Schneider, E. Peik, in:

Proceedings of the 6th Symposium on Frequency Standards and Metrology, ed. P. Gill,

World Scientific (2002), p. 369.

[The atomic caesium fountain CSF1 of PTB](#)

S. Weyers, A. Bauch, R. Schröder, Chr. Tamm, in:

Proceedings of the 6th Symposium on Frequency Standards and Metrology, ed. P. Gill,

World Scientific (2002), p. 64.

[Ultra-precise measurement of optical frequency ratios](#)

J. Stenger, H. Schnatz, Chr. Tamm, H.R. Telle
Phys. Rev. Lett. 88, 073601 (2002).

[Absolute frequency measurement of the 435.5-nm \$^{171}\text{Yb}^+\$ -clock transition with a Kerr-lens mode-locked femtosecond laser](#)

J. Stenger, Chr. Tamm, N. Haverkamp, S. Weyers, H.R. Telle
Opt. Lett. 26, 1589 (2001).

[Uncertainty evaluation of the atomic caesium fountain CSF1 of the PTB](#)

S. Weyers, U. Hübner, R. Schröder, Chr. Tamm, A. Bauch
Metrologia 38, 343 (2001).

[Resonance fluorescence spectrum of a trapped ion undergoing quantum jumps](#)

V. Bühner, Chr. Tamm,
Phys. Rev. A 61, 061801 (2000).

[High-resolution optical spectroscopy of the transition \$^2\text{S}_{1/2}\(\text{F}=0\)\$ - \$^2\text{D}_{3/2}\(\text{F}=2\)\$ in trapped \$^{171}\text{Yb}^+\$](#)

Chr. Tamm, D. Engelke, V. Bühner
Phys. Rev. A 61, 053405 (2000).

[First performance results of PTB's atomic caesium fountain and a study of contributions to its frequency instability](#)

S. Weyers, A. Bauch, U. Hübner, R. Schröder, Chr. Tamm
IEEE Trans. UFFC 47, 432 (2000).

[Die neue Caesiumfontäne der PTB](#)

S. Weyers, D. Griebisch, U. Hübner, R. Schröder, Chr. Tamm, A. Bauch
PTB-Mitteilungen 6/1999, 483.

[Optical frequency standard investigations on trapped, laser-cooled \$^{171}\text{Yb}\$ ions](#)

Chr. Tamm, D. Engelke, in:
Proceedings of the 5th Symposium on Frequency Standards and Metrology, ed. J.C. Bergquist,
World Scientific (1996), p. 283.

[Microwave spectroscopy of \$^{171}\text{Yb}^+\$ stored in a Paul trap](#)

A. Bauch, D. Schnier, Chr. Tamm, in:
Proceedings of the 5th Symposium on Frequency Standards and Metrology, ed. J.C. Bergquist,
World Scientific (1996), p. 387.

[Dark times in the resonance fluorescence of trapped \$^{171}\text{Yb}\$ ions caused by spontaneous quantum jumps to the \$^2\text{D}_{3/2}\(\text{F}=2\)\$ state](#)

D. Engelke, Chr. Tamm
Europhys. Lett. 33, 347 (1996).

[Radio-frequency laser double-resonance spectroscopy of trapped \$^{171}\text{Yb}\$ ions and determination of line shifts of the ground-state hyperfine resonance](#)

Chr. Tamm, D. Schnier, A. Bauch
Appl. Phys. B 60, 19 (1995).

[A tunable light source in the 370 nm range based on an optically stabilized, frequency-doubled semiconductor laser](#)

Chr. Tamm
Appl. Phys. B 56, 295 (1993).

[A tunable three-level neodymium-doped fiber laser
and its application to depletion of the \$4f^{14} 5d^2 D_{3/2}\$ level in optically excited, trapped ytterbium ions](#)

Chr. Tamm, D. Schnier
Opt. Commun. 87, 240 (1992).

[Collisional population trapping and optical deexcitation of ytterbium ions in a radiofrequency trap](#)

A. Bauch, D. Schnier, Chr. Tamm
J. Mod. Opt. 39, 389 (1992).

[Dislocations in laser fields](#)

C.O. Weiss, Chr. Tamm, K. Staliunas, in:
Evolution of dynamical structures in complex systems, ed. R. Friedrich, A. Wunderlin,
Springer (Berlin, 1992).

[Laser cooling of trapped ytterbium ions using a four-level optical-excitation scheme](#)

A.S. Bell, P. Gill, H.A. Klein, A.P. Levick, Chr. Tamm, D. Schnier
Phys. Rev. A 44, R20 (1991).

[Interferometric measurements of phase singularities in the output of a visible laser](#)

A.G. White, C.P. Smith, N.R. Heckenberg, H. Rubinsztein-Dunlop, R. McDuff, C.O. Weiss, Chr. Tamm,
J. Mod. Opt. 38, 2531 (1991).

[Transverse laser patterns.](#)

[II: Variational principle for pattern selection, spatial multistability, laser hydrodynamics](#)

M. Brambilla, F. Battipede, L.A. Lugiato, V. Penna, E. Prati, Chr. Tamm, C. O. Weiss
Phys. Rev. A 43, 5114 (1991).

[Transverse laser patterns. I: Phase singularity crystals](#)

M. Brambilla, F. Battipede, L.A. Lugiato, V. Penna, E. Prati, Chr. Tamm, C.O. Weiss,
Phys. Rev. A 43, 5090 (1991).

[Temporal and spatial laser instabilities](#)

C.O. Weiss, Chr. Tamm, P. Coullet
J. Mod. Opt. 37, 1825 (1990).

[Spontaneous breaking of cylindrical symmetry in an optically pumped laser](#)

Chr. Tamm, C.O. Weiss
Opt. Commun. 78, 250 (1990).

[Bistability and optical switching of spatial patterns in a laser](#)

Chr. Tamm, C.O. Weiss,
J. Opt. Soc. Am. B 7, 1034 (1990).

[The field patterns of a hybrid mode laser: Detecting the hidden bistability of the optical phase pattern](#)

Chr. Tamm, in:
Measures of Complexity and Chaos, ed. N.B. Abraham, A.M. Albano, A. Passamante, E. Rapp,
Plenum Press (1989), p. 465.

[Frequency locking of two transverse optical modes of a laser](#)

Chr. Tamm, Phys. Rev. A 38, 5960 (1988).

[Light pressure induced nonlinear dispersion in a Doppler-broadened medium](#)

R. Grimm, Chr. Tamm, J. Mlynek, in:
Fundamentals of Quantum Optics II, ed. F. Ehlotzky, Springer (Berlin 1987), p. 283.

[Raman heterodyne spectroscopy of Hertzian resonances](#)

J. Mlynek, Chr. Tamm, E. Buhr, in:

Methods in Laser Spectroscopy, ed. Y. Prior, Plenum Press (1986), p. 175.

[Raman heterodyne studies of velocity diffusion effects in radiofrequency-laser double resonance](#)

Chr. Tamm, E. Buhr, J. Mlynek

Phys. Rev. A 34, 1977 (1986).

[Raman heterodyne detection of radiofrequency resonances in Sm vapor: Effects of velocity-changing collisions](#)

J. Mlynek, Chr. Tamm, E. Buhr, N.C. Wong

Phys. Rev. Lett. 53, 1814 (1984).